



WORLD CLASS RUBBER AUTOMOTIVE PARTS

INNER TUBES & RIM FLAPS



INNER TUBES

PASSENGER CARS



PASSENGER CAR (RADIAL)

SIZE	VALVE	REMARKS
ER10	TR13	
DR12	TR13	
ER12	TR13	
FR12	TR13	
ER13	TR13	
FR13	TR13	
GR13	TR13	
KR13	TR13	
ER14	TR13	
FR14	TR13	
GR14	TR13	
KR14	TR13	
MR14	TR13	
DR15	TR13	
ER15	TR13	
*FR15	TR13	
*GR15	TR13	
*KR15	TR13	
*MR15	TR13	
*GR16	TR13	
*MR16	TR13	

*TR15 valve available upon request

PASSENGER CAR (BIAS)

SIZE	VALVE	REMARKS
E10	TR13	
D12	TR13	
E12	TR13	
F12	TR13	
E13	TR13	
F13	TR13	
G13	TR13	
K13	TR13	
E14	TR13	
F14	TR13	
G14	TR13	
K14	TR13	
M14	TR13	
D15	TR13	
E15	TR13	
*F15	TR13	
*G15	TR13	
*K15	TR13	
*M15	TR13	
*G16	TR13	
*M16	TR13	

*TR15 valve available upon request

INNER TUBES

PASSENGER CAR, SUV & 4 WHEEL DRIVE



PASSENGER CAR INNER TUBES

SIZE	VALVE	REMARKS
145 - 10	TR13	
145 - 12	TR13	
145 / 70 - 12	TR13	
155 - 12	TR13	
155 / 70 - 12	TR13	
155 - 13	TR13	
155 / 70 - 13	TR13	
165 - 13	TR13	
165 / 70 - 13	TR13	
175 - 13	TR13	
175 / 70 - 13	TR13	
185 - 13	TR13	
185 / 70 - 13	TR13	
155 - 14	TR13	
155 / 70 - 14	TR13	
165 - 14	TR13	
165 / 70 - 14	TR13	
175 - 14	TR13	
175 / 70 - 14	TR13	
185 - 14	TR13	
185 / 70 - 14	TR13	
195 - 14	TR13	
195 / 70 - 14	TR13	
205 - 14	TR13	
215 / 70 - 14	TR13	
155 - 15	TR13	
155 / 70 - 15	TR13	
165 - 15	TR13	
165 / 70 - 15	TR13	
175 - 15	TR13	
175 / 70 - 15	TR13	
185 - 15	TR13	
185 / 70 - 15	TR13	
195 - 15	TR13	
195 / 70 - 15	TR13	

SUV & 4 WHEEL DRIVE (4x4)

SIZE	VALVE	REMARKS
205 R 15	TR13	
205 / 70 R 15	TR13	
215 / 225 R 15	TR13	
215 / 70 R 15	TR13	
215 / 75 R 15	TR13	
225 / 70 R 15	TR13	
235 / 70 R 15	TR13	
235 / 75 R 15	TR13	
245 / 70 R 15	TR13	
250 R 15	TR13	
265 / 70 R 15	TR13	
FR 78 - 15	TR13	
GR 70 - 15	TR13	
GR 78 - 15	TR13	
HR 70 - 15	TR13	
HR 78 - 15	TR13	
JR 78 - 15	TR13	
10 R 15	TR13	
11 R 15	TR13	
12 R 15	TR13	
31 x 10.5 R 15	TR13	
32 x 11.5 R 15	TR13	
205 R 16	TR13	
215 R 16	TR13	
215 / 75 R 16	TR13	
215 / 85 R 16	TR13	
235 / 70 R 16	TR13	
235 / 85 R 16	TR13	
245 R 16	TR13	
245 / 70 R 16	TR13	
245 / 75 R 16	TR13	
265 / 70 R 16	TR13	
265 / 75 R 16	TR13	
275 / 70 R 16	TR13	
280 / 85 R 16	TR13	

*Radial grades available upon request

INNER TUBES

LIGHT TRUCK, HEAVY TRUCK & BUS



LIGHT TRUCKS

SIZE	VALVE	REMARKS
5.00 - 12	TR13	
5.00 - 13	TR13	
5.50 - 13	TR13	
6.00 - 13	TR13	
7.00 - 13	TR13	
6.00 - 14	TR13	
6.50 - 14	TR13	
7.00 - 14	TR13	
200 / 60 - 14.5	TR 15	
6.00 - 15	TR13 / TR15	
6.50 - 15	TR13 / TR15 / TR75A	
6.70 - 15	TR13 / TR15 / TR75A	
7.00 - 15	TR13 / TR15 / TR75A	
7.10 - 15	TR13 / TR15 / TR75A	
7.50 - 15	TR13 / TR15 / TR75A	
8.15 - 15	TR13 / TR15 / TR75A	
8.25 - 15	TR13 / TR15 / TR75A	
8.40 - 15	TR13 / TR15 / TR75A	
8.50 - 15	TR75A / TR77A	
9.00 - 15	TR15 / TR150 / TR175A	
10.00 - 15	TR13 / TR150 / TR78A	
11.00 - 15	TR78A	
6.00 - 16	TR13 / TR15 / TR75A	
6.50 - 16	TR13 / TR15 / TR75A	
7.00 - 16	TR13 / TR15 / TR75A	
7.50 - 16	TR13 / TR15 / TR150 / TR75A / TR177A	
8.25 - 16	TR13 / TR177A	
9.00 - 16	TR13 / TR177A	
10.00 - 16	TR78A	
10 - 16.5	TR13 / TR15 / TR75A	
12 - 16.5	TR13 / TR15 / TR75A	
7.00 - 18	TR13 / TR15 / TR75A	
7.50 - 18	TR13 / TR15 / TR75A	
6.00 - 19	TR15	

*Radial grades available upon request

HEAVY TRUCK & BUS

SIZE	VALVE	REMARKS
6.50 - 20	TR75A	
7.00 - 20	TR75A	
7.50 - 20	TR177A	
8.25 - 20	TR77A	
9.00 - 20	TR78A / TR175A	
10.00 - 20	TR78A	
11.00 - 20	TR78A	
12.00 - 20	TR78A	
13.00 - 20	TR179A	
14.00 - 20	TR179A	
15.00 - 20	TR179A	
16.00 - 20	TR179A	
10.00 - 22	TR78A	
11.00 - 22	TR78A	
12.00 - 24	TR78A / TR179A	
13.00 - 24	TR179A	
14.00 - 24	TR179A	

*Radial grades available upon request

INNER TUBES

HAND CART, WHEELBARROW, MINI INDUSTRIAL, SCOOTER, MOTORCYCLE, GOLF BUGGY, LAWN, GO-KART, TURF, GARDEN & ATV



HAND CART, WHEELBARROW, MINI INDUSTRIAL, SCOOTER & MOTORCYCLE

SIZE	VALVE	REMARKS
5.00 - 12	TR13	
5.00 - 13	TR13	
5.50 - 13	TR13	
6.00 - 13	TR13	
7.00 - 13	TR13	
6.00 - 14	TR13	
6.50 - 14	TR13	
7.00 - 14	TR13	
200 / 60 - 14.5	TR 15	
6.00 - 15	TR13 / TR15	
6.50 - 15	TR13 / TR15 / TR75A	
6.70 - 15	TR13 / TR15 / TR75A	
7.00 - 15	TR13 / TR15 / TR75A	
7.10 - 15	TR13 / TR15 / TR75A	
7.50 - 15	TR13 / TR15 / TR75A	
8.15 - 15	TR13 / TR15 / TR75A	
8.25 - 15	TR13 / TR15 / TR75A	
8.40 - 15	TR13 / TR15 / TR75A	
8.50 - 15	TR75A / TR77A	
9.00 - 15	TR15 / TR150 / TR175A	
10.00 - 15	TR13 / TR150 / TR78A	
11.00 - 15	TR78A	
6.00 - 16	TR13 / TR15 / TR75A	
6.50 - 16	TR13 / TR15 / TR75A	
7.00 - 16	TR13 / TR15 / TR75A	
7.50 - 16	TR13 / TR15 / TR150 / TR75A	
8.25 - 16	TR13 / TR177A	
9.00 - 16	TR13 / TR177A	
10.00 - 16	TR78A	
10 - 16.5	TR13 / TR15 / TR75A	
12 - 16.5	TR13 / TR15 / TR75A	
7.00 - 18	TR13 / TR15 / TR75A	
7.50 - 18	TR13 / TR15 / TR75A	
6.00 - 19	TR15	

GOLF BUGGY, LAWN, GO-KART, TURF, GARDEN & ATV

SIZE	VALVE	REMARKS
10 x 4.00 / 4.50 / 5.00 - 5	TR87	
11 x 4.50 / 5.00 / 6.00 - 5	TR87	
11 x 7.10 - 5	TR87	
13 x 4.50 / 5.00 - 6	TR13	
13 x 5.00 - 6	TR87	
13 x 6.50 - 6	TR13	
14 x 4.5 / 5.00 / 6.00 - 6	TR13	
15 x 6.00 - 6	TR13	
16 x 6.50 (170 / 60-8) - 8	TR13	
16.5 x 6.5 - 8	TR13	
18 x 7.00 - 8	TR13	
18 x 8.50 - 8	TR13	
18.5 x 8.50 - 8	TR13	
18 x 9.50 - 8	TR13	
19 x 8.00 - 10	TR13	
20 x 8.00 - 10	TR13	
20 x 10.00 - 10	TR13	
20.5 x 8.00 - 10	TR13	
23 x 8.50 / 9.50 - 12	TR13	
23 x 10.50 - 12	TR13	
26 x 12.00 - 12	TR13	
27 x 8.50 - 15	TR13 / TR15	

INNER TUBES

FORKLIFT, SKIDSTEER & INDUSTRIAL



FORKLIFT, SKIDSTEER & INDUSTRIAL

SIZE	VALVE	REMARKS
4.00 / 4.80 - 8	TR87	
5.00 / 5.70 - 8	JS2	
16 x 6 - 8	JS2 / TR244	
18 x 7 - 8	JS2 / TR244	
18.5 x 8.5 - 8	TR13	
6.00 / 6.90 - 9	JS2	
21 x 8 - 9	JS2 / TR75A	
6.50 - 10	JS2 / TR75A	
7.50 - 10	JS2 / TR75A	
23 x 9 - 10	TR75A	
7.00 - 12	TR75A	
8.25 - 12	TR75A	
10.0 / 80 - 12	TR15	
23 x 10 - 12	TR15	
27 x 10 - 12	TR75A	
8.50 - 12	TR15	
23 - 5	JS2	
5.50 / 6.00 - 15	JS2	
7.00 - 15	TR75A	
7.50 - 15	TR75A	
27 x 8.50 - 15	TR75A	
28 x 9 - 15	TR75A	
8.15 - 15	TR75A	
8.25 - 15	TR75A/TR77A	
9.00 - 15	TR175A	

FORKLIFT, SKIDSTEER & INDUSTRIAL

SIZE	VALVE	REMARKS
10.00 - 15	TR78A	
11.00 - 15	TR78A	
250 - 5	TR177A	
300 - 15	TR177A	
14.50L - 15	TR15 / TR78A	
6.00 - 16	TR13 / TR15	
12.00 - 16	TR218A	
37 x 16 - 16	TR 218A	
10 - 16.5	TR15 / TR218A	
12 - 16.5	TR15 / TR218A	
7.50 - 18	TR177A	
10.5 - 18	TR15 / TR218A	
12.5 - 18	TR15 / TR218A	
15 - 19.5	TR15	
7.50 - 20	TR177A	
8.25 - 20	TR177A	
9.00 - 20	TR78A / TR 175A	
10.00 - 20	TR78A	
10.5 - 20	TR15 / TR218A	
12.5 - 20	TR15 / TR218A	
11.00 - 20	TR78A	
12.00 - 20	TR78A	
14.00 - 20	TR179A	
14.5 - 20	TR15 / TR218A	
14.00 - 24	TR179A	

INNER TUBES

OFF-THE-ROAD (OTR)



OFF-THE-ROAD (OTR)

SIZE	VALVE	REMARKS
9.00 - 20	TR78A	
10.00 - 20	TR218A / TR78A	
11.00 - 20	TR78A	
12.00 - 20	TR78A	
13.00 - 20	TR218A / TR179A	
14.00 - 20	TR218A / TR179A	
15.00 - 20	TR179A	
12.00 - 24	TR218A / TR78A / TR179A	
13.00 - 24	TR218A / TR179A	
14.00 - 24	TR218A / TR179A	
16.00 - 24	TR218A / TRJ1175C / TRJ4000	
18.00 - 24	TRJ1175C / TRJ4000	
12.00 - 25	TR78A / TR179A	
13.00 - 25	TR218A / TR179A	
14.00 - 25	TR179A / TRJ1175C	
15.5 - 25	TRJ1175C / TRJ4000	
16.00 - 25	TRJ1175C / TRJ4000	
17.5 - 25	TRJ1175C / TRJ4000	
18.00 - 25	TRJ1175C / TRJ4000	
20.5 - 25	TRJ1175C / TRJ4000	
21.00 - 25	TRJ1175C / TRJ4000	
23.5 - 25	TRJ1175C / TRJ4000	
24.00 - 25	TRJ1175C / TRJ4000	
26.5 - 25	TRJ1175C / TRJ4000	
29.5 - 25	TRJ1175C / TRJ4000	
18.00 - 33	TRJ1175C / TRJ4000	

INNER TUBES

AGRICULTURAL TRACTOR, AGRICULTURAL TRAILER & IMPLEMENT

AGRICULTURAL TRACTOR, AGRICULTURAL TRAILER & IMPLEMENT		
SIZE	VALVE	REMARKS
4.00 - 8	TR13	
5.00 - 10	TR13 / JS2	
4.00 - 12	TR13	
5 - 12	TR13	
5.00 - 12	TR13	
6 - 12	TR13	
6.00 - 12	TR13	
10.0 / 80 - 12	TR15	
23 x 10 - 12	TR15	
6 - 14	TR13	
6.00 - 14	TR13	
7 - 14	TR13	
5.00 - 15	TR13	
5.50 - 15	TR13	
7.00 - 15	TR15	
7.50 - 15	TR15	
7.5L - 15	TR15	
9.5L - 15	TR15	
11L - 15	TR15	
10.0 / 75 - 15	TR15	
11.5 / 80 - 15	TR15	
12.5L - 15	TR15	
10.0 / 75 - 15.3	TR15	
11.5 / 80 - 15.3	TR15	
12.5 / 80 - 15.3	TR15	
400 / 60 - 15.5	TR15	
500 / 55 - 15.5	TR15	
6.00 - 16	TR15	
6.50 - 16	TR15	
7.00 - 16	TR15	
7.50 - 16	TR15	
7 - 16	TR15	
8 - 16	TR15	
9.00 - 16	TR15	
10.00 - 16	TR15 / TR218A	
11.00 - 16	TR15 / TR218A	
11L - 16	TR15 / TR218A	
12.4 / 11 - 6	TR15	
12.5L - 16	TR15	
14.0 / 65 - 16	TR15 / TR218A	
15.0 / 55 - 17	TR15 / TR218A	
7.50 / 18	TR15	
10.5 / 80 - 18	TR15 / TR218A	
12.5 / 80 - 18	TR15 / TR218A	
13.0 / 65 - 18	TR15 / TR218A	
6.00 - 19	TR15	
8.00 - 19	TR15	
6.50 - 20	TR15	

AGRICULTURAL TRACTOR, AGRICULTURAL TRAILER & IMPLEMENT		
SIZE	VALVE	REMARKS
7.50 - 20	TR15	
8.3 - 20	TR15	
9.5 - 20	TR15	
10.5 / 80 - 20	TR15 / TR218A	
11.2 / 10 - 20	TR15 / TR218A	
12.5 / 80 - 20	TR15 / TR218A	
14.5 / 80 - 20	TR218A	
16.0 / 70 - 20	TR218A	
42-17 - 20	TR179A	
17.5 / 65 - 20	TR218A	
8.3 - 22 / 8.22	TR218A	
9.5 - 22 / 9 - 22	TR218A	
8.3 - 24 / 8 - 24	TR218A	
9.5 - 24 / 9 - 24	TR218A	
11.2 - 24 / 10 - 24	TR218A	
12.4 - 24 / 11 - 24	TR218A	
13.6 - 24 / 12 - 24	TR218A	
14.9 - 24 / 13 - 24	TR218A	
KM24	TR218A	
15.5 / 80 - 24	TR218A	
16.5 / 80 - 24	TR218A	
16.9 - 24 / 14 - 24	TR218A	
17.5L - 24	TR218A	
18.4 - 24 / 15 - 24	TR218A	
14.9 - 26 / 13 - 26	TR218A	
19.5L - 24	TR218A	
21L - 24	TR218A	
18.4 - 26 / 15 - 26	TR218A	
23.1 - 26 / 18 - 26	TR218A	
28L - 26	TR218A	
11.2 - 28 / 10 - 28	TR218A	
12.4 - 28 / 11 - 28	TR218A	
13.6 - 28 / 12 - 28	TR218A	
14.9 - 28 / 13 - 28	TR218A	
16.9 - 28 / 14 - 28	TR218A	
18.4 - 28 / 15 - 28	TR218A	
16.9 - 30 / 14 - 30	TR218A	
18.4 - 30 / 15 - 30	TR218A	
23.1 - 30	TR218A	
24.5 - 32	TR218A	
16.9 - 34 / 14 - 34	TR218A	
18.4 - 34 / 15 - 34	TR218A	
13.6 - 38 / 12 - 38	TR218A	
14 - 38	TR218A	
14.9 - 38 / 13 - 38	TR218A	
15.5 - 38	TR218A	
16.9 - 38 / 14 - 38	TR218A	

INNER TUBES

RADIAL AGRICULTURAL TRACTOR & IMPLEMENT



RADIAL AGRICULTURAL TRACTOR & IMPLEMENT

SIZE	VALVE	REMARKS
275 / 80 R 20	TR218A	
300 / 70 R 20	TR218A	
280 / 85 R 20	TR218A	
320 / 70 R 20	TR218A	
360 / 70 R 20	TR218A	
335 / 80 R 20	TR218A	
375 / 70 R 20	TR218A	
405 / 70 R 20	TR218A	
320 / 70 R 24	TR218A	
320 / 85 R 24	TR218A	
360 / 70 R 24	TR218A	
340 / 85 R 24	TR218A	
380 / 70 R 24	TR218A	
440 / 65 R 24	TR218A	
380 / 85 R 24	TR218A	
405 / 70 R 24	TR218A	
420 / 70 R 24	TR218A	
480 / 65 R 24	TR218A	
420 / 85 R 24	TR218A	
445 / 70 R 24	TR218A	
480 / 70 R 24	TR218A	
495 / 70 R 24	TR218A	
500 / 70 R 24	TR218A	
540 / 65 R 24	TR218A	
280 / 85 R 28	TR218A	
320 / 85 R 28	TR218A	
340 / 85 R 28	TR218A	

RADIAL AGRICULTURAL TRACTOR & IMPLEMENT

SIZE	VALVE	REMARKS
380 / 70 R 28	TR218A	
440 / 65 R 28	TR218A	
380 / 85 R 28	TR218A	
420 / 70 R 28	TR218A	
480 / 65 R 28	TR218A	
420 / 85 R 28	TR218A	
420 / 65 R 28	TR218A	
480 / 70 R 28	TR218A	
540 / 65 R 28	TR218A	
600 / 65 R 28	TR218A	
380 / 85 R 30	TR218A	
420 / 70 R 30	TR218A	
420 / 90 R 30	TR218A	
420 / 85 R 30	TR218A	
480 / 70 R 30	TR218A	
540 / 65 R 30	TR218A	
460 / 85 R 30	TR218A	
600 / 65 R 30	TR218A	
680 / 85 R 32	TR218A	
650 / 75 R 32	TR218A	
420 / 85 R 34	TR218A	
480 / 70 R 34	TR218A	
540 / 65 R 34	TR218A	
480 / 85 R 34	TR218A	
460 / 85 R 34	TR218A	
520 / 70 R 34	TR218A	
600 / 65 R 34	TR218A	

RIM FLAPS

LIGHT & HEAVY TRUCK / BUS, INDUSTRIAL MACHINERIES & OFF-THE-ROAD MACHINERIES



FLAPS FOR LIGHT & HEAVY TRUCK / BUS

SIZE	VALVE HOLE LOCATION	REMARKS
700 / 750 / 825 - 15	CENTER	
700 / 750 - 16	CENTER	
825 / 900 - 20	CENTER	
900 / 1000 - 20	CENTER	
1000 / 1100 / 1200 - 20	CENTER	
1200 / 1300 - 24	CENTER	



FLAPS FOR INDUSTRIAL MACHINERIES

SIZE	VALVE HOLE LOCATION	REMARKS
600 / 690 - 9	CENTER	
650 / 750 - 10	CENTER	
700 - 12	CENTER	
200 / 250 / 825 - 15	CENTER	
11.00 - 15 / 9.50 - 15	CENTER	
7.50 / 8.00 - 16	CENTER	

FLAPS FOR OFF-THE-ROAD MACHINERIES

SIZE	VALVE HOLE LOCATION	REMARKS
13.00 / 14.00 - 24 / 25	CENTER	
15.5 - 25	CENTER	
17.5 - 25	CENTER	
20.5 - 25	CENTER	
21.00 - 25	CENTER	
23.5 / 24.00	CENTER	
26.5 - 25	CENTER	



PRE-CURE CURING ENVELOPES

RETREADING MATERIALS

PRE-CURE CURING ENVELOPES		
CODE NO.	FOR TYRE SIZE	REMARKS
SY 005 - 19 (Short Skirt)	7.00 / 7.50 - 15	
	7.00 / 7.50 - 16	
SY 006 - 25 (Short Skirt)	8.25 - 20	
	9.00 - 20	
	10 R 22.5	
SY 008 - 24 (Short Skirt)	10.00 - 20	
	11 R 22.5	
SY 008 - 28 (Long Skirt)	10.00 - 20	
	11 R 22.5	
SY 010 - 28 (Long Skirt)	11.00 - 20	
	12.00 - 20	
	12 R 22.5	
SY 010 - 32 (Long Skirt)	11.00 - 24	
	12.00 - 24	

PRE-CURE CURING TUBES

PRE-CURE CURING TUBES			
CODE NO.	VALVES	FOR TYRE SIZE	REMARKS
PCT - 8910	STEEL	825 x 20	
		900 x 20	
		10 R 22.5	
PCT - 1011R	STEEL	1000 x 20	
		11 R 22.5	
PCT - 1112R	STEEL	1100 x 20	
		12 R 22.5	

PUSH IN VALVE & CURING TUBES

RETREADING MATERIALS

PUSH IN VALVE (P.I.V.) CURING TUBES (FOR CIMA-CISAP-ITALMATIC-MARAGONI VULCANIZERS)

SIZE	REMARKS	SIZE	REMARKS
18.4 / 15	x 34	155	x 15
16.9 / 14	x 34	775	x 14
1800	x 33	750	x 14
18.4 / 15	x 30	700	x 14
16.9 / 14	x 30	640	x 14
16.9 / 14	x 28	590	x 14
14.9 / 13	x 28	500	x 14
12.4 / 11	x 28	185	x 14
11.2 / 10	x 28	175	x 14
26.5	x 25	165	x 14
24.00	x 25	145	x 14
23.5	x 25	205 / 70	x 14
21.00	x 25	195 / 70	x 14
20.5	x 25	185 / 70	x 14
1800	x 25	700	x 13
17.5	x 25	640	x 13
1600	x 25	615	x 13
15.5	x 25	590	x 13
1400	x 25	560	x 13
18.4 / 15	x 24	520	x 13
16.9 / 14	x 24	185	x 13
14.9 / 13	x 24	175	x 13
13.6 / 12	x 24	165	x 13
12.4 / 11	x 24	155	x 13
11.2 / 10	x 24	145	x 13
9.5 / 9	x 24	185 / 60	x 13
1400	x 24	185 / 70	x 13
1300	x 24	175 / 70	x 13
1200	x 24	700	x 12
1400	x 20	600	x 12
1200	x 20	550	x 12
1100	x 20	520	x 12
1000	x 20	155	x 12
900	x 20	145	x 12
825	x 20	175 / 70	x 12
750	x 20	5	x 12
700	x 20	650	x 10
600	x 19	520	x 10
900	x 16	145	x 10
280 / 85	x 16	600	x 9
750	x 16	MOTOR-CYCLE CURING TUBES	
700	x 16	350	x 8
650	x 16	400	x 8
600	x 16	275	x 10
550	x 16	350	x 10
525	x 16	275	x 14
500	x 16	300 / 325	x 16
H78 - 15	(215 R - 15)	350	x 16
825	x 15	225	x 17
815	x 15	250	x 17
670 / 700	x 15	300	x 17
640	x 15	250	x 18
560	x 15	275	x 18
550	x 15	300 / 325	x 18
165	x 15	350 / 400	x 18

REMARKS: 1) The above curing tubes are fitted push-in-valve (P.I.V.) 2) Sizes listed are not exhaustive, please enquire if the size required is not listed

FULL - CIRCLE CURING BAGS

RETREADING MATERIALS

FULL - CIRCLE CURING BAGS

SIZE	REMARKS
18.4 / 15	x 34
16.9 / 14	x 34
1800	x 33
18.4 / 15	x 30
16.9 / 14	x 30
16.9 / 14	x 28
14.9 / 13	x 28
12.4 / 11	x 28
11.2 / 10	x 28
26.5	x 25
24.00	x 25
23.5	x 25
21.00	x 25
20.5	x 25
1800	x 25
17.5	x 25
1600	x 25
15.5	x 25
1400	x 25
18.4 / 15	x 24
16.9 / 14	x 24
14.9 / 13	x 24
13.6 / 12	x 24
12.4 / 11	x 24
11.2 / 10	x 24
9.5 / 9	x 24
1400	x 24
1300	x 24
1200	x 24
1400	x 20
1200	x 20
1100	x 20
1000	x 20
900	x 2
825	x 20
750	x 20
700	x 20
600	x 19
900	x 16
280 / 85	x 16
750	x 16
700	x 16
650	x 16
600	x 16
550	x 16
525	x 16
500	x 16
H78 - 15	(215 R - 15)
825	x 15
815	x 15
670 / 700	x 15
640	x 15
560	x 15
550	x 15
165	x 15

SIZE	REMARKS
155	x 15
775	x 14
750	x 14
700	x 14
640	x 14
590	x 14
500	x 14
185	x 14
175	x 14
165	x 14
145	x 14
205 / 70	x 14
195 / 70	x 14
185 / 70	x 14
700	x 13
640	x 13
615	x 13
590	x 13
560	x 13
520	x 13
185	x 13
175	x 13
165	x 13
155	x 13
145	x 13
185 / 60	x 13
185 / 70	x 13
175 / 70	x 13
700	x 12
600	x 12
550	x 12
520	x 12
155	x 12
145	x 12
175 / 70	x 12
5	x 12
650	x 10
520	x 10
145	x 10
600	x 9
MOTOR-CYCLE CURING TUBES	
350	x 8
400	x 8
275	x 10
350	x 10
275	x 14
300 / 325	x 16
350	x 16
225	x 17
250	x 17
300	x 17
250	x 18
275	x 18
300 / 325	x 18
350 / 400	x 18

REMARKS: 1) The above curing tubes are fitted with steel valves 2) Sizes listed are not exhaustive, please enquire if the size required is not listed

COLLAPSIBLE (CLAPP) INSIDE RIM CURING TUBES

RETREADING MATERIALS

COLLAPSIBLE (CLAPP) INSIDE RIM CURING TUBES

CURING TUBE	CURING TUBE SIZE	CURING TUBES MEASUREMENT (INCH)			
		RIM DIA.	OUTSIDE DIA. (A)	WIDTH (B)	INSIDE DIA. (C)
61F - 15	450 x 12, 500 x 12	15	19	4.1/4	15.1/4
62F - 12.5	520 x 10	13	18	4.1/4	13.1/2
62F - 15	520 x 12, 550 x 12, 145 x 13	15	20.5/8	4.1/4	15.1/2
63F - 12.5	165 / 70 x 10	13	18.1/2	5.1/2	13
63F - 15	155 x 12, 600 x 12	15	20	5.1/4	15.1/4
63F - 16	155 x 13, 615 x 13, 500 x 14, 520 x 13	16	21.1/8	5	16.1/4
64F - 15	please refer to the measurement for suitable tyres	15	21.1/2	5	15
65F - 15	please refer to the measurement for suitable tyres	15	21.1/2	5.3/4	15
65F - 16	560 x 13, 165 x 13	16	22.1/8	4.3/4	16.1/8
66F - 15	175 / 70 x 12	15	20	6	15.1/4
66F - 16	175 / 70 x 13	16	21.1/4	6	16.1/4
66F - 18	550 x 15, 560 x 15, 155 x 15	18	24.1/8	5	18
67F - 16	165 x 13	16	23	5	16
67F - 17	640 x 13, 175 x 13, 590 x 14, 165 x 14, 640 x 14	17	23.3/4	5.3/8	17.1/4
68F - 16	185 / 70 x 13	16	23.3/8	6.1/4	16
68F - 17	600 x 13, 590 x 13	17	22.3/4	5	17.1/4
69F - 17	175 x 14, 185 / 70 x 14	17	23.3/8	6.1/4	17.1/4
69F - 18	185 / 70 x 15, 195 / 70 x 14, 165 x 15, 185 x 14, 700 x 14	18	24.3/8	6	18
704 - 17	185 x 13, 700 x 13, 700 x 14	17	24.1/8	5.3/8	17.1/2
704 - 18	640 x 15, 670 x 15, 750 x 14, 775 x 14	18	25.1/8	5.3/4	18.1/2
92 X	600 x 16, 650 x 16, 700 x 15	19	27	5.1/4	19.1/2
118 X	600 x 19	22	29	5.1/4	22.1/4
303 X	700 x 16, 750 x 16	22	28.1/2	5.7/8	22.1/4
308 X	900 x 16, 280 / 85 x 16	22	31.1/4	7.1/2	22.1/4
320 X	825 x 20	25.1/4	35.3/8	6.3/4	25.3/8
330 X	900 x 20	25.1/4	37	7.3/8	25.3/8
340 X	1000 x 20	26.1/4	37.3/8	8.1/2	26.5/8
350 X	1100 x 20	26.1/4	38.3/8	8.1/2	26.3/8
360 X	1200 x 20	26.1/4	38.3/8	9.1/2	26.3/8

REMARKS:

Please use the correct sizes of curing tubes to suit the tyre sizes

SEMI - CIRCLE CURING TUBES

RETREADING MATERIALS

SEMI - CIRCLE CURING TUBES	
SIZE	REMARKS
1200	x 20
1100	x 20
1000	x 20
900	x 20
825	x 20
750	x 20
700	x 20
750	x 16
700	x 16
650	x 16
600	x 16
550	x 16
525	x 16
500	x 16
670 / 700	x 15
640	x 15
560	x 15
550	x 15
425	x 15
165	x 15
155	x 15
750	x 14
700	x 14
640	x 14
590	x 14
500	x 14
185	x 14
175	x 14
165	x 14
145	x 14
700	x 13
640	x 13
615	x 13
590	x 13
560	x 13
520	x 13
185	x 13
175	x 13
165	x 13
155	x 13
145	x 13
600	x 12
550	x 12
520	x 12
155	x 12
145	x 12
520	x 10
145	x 10
165	x 380

INNER TUBE VALVES



TR 13



TR 15



TR 244
JS 2



TR 87A



TRJ 4000

Tube Type Spud
Assembly SP4000

TR 75A TR 175A
TR 76A TR 177A
TR 77A TR 179A
TR 78A



TRJ 1175C



TR 218A
TR 220A



TR 150

MANUFACTURING PROCESS

EXTRUSION & SPLICING



Extrusion

High quality formulated tube compound is fed in to the extrusion machine for processing.



Extrusion

The processed tube compound is then conveyed to the splicing room.



Splicing

The tube is disected and both ends are joined to form a radius.

CURING & INSPECTION



Curing

Tube is inserted into the curing press to achieve perfect balance and obtain its optimum properties.



Inspection

The tubes are then inflated to ensure there's no leakage or defect.



Inspection

Inflated tubes are stacked and ready for final inspection and quality control.

LABELLING, PACKING & DELIVERY



Labelling

Tubes are marked and labelled according to sizes for identification.



Packing

Ready tubes are carefully packed and inserted into carton boxes for export.



Delivery

Carton boxes are then loaded onto the container and ready to be transported to the port.

**NO ONE KNOWS RUBBER LIKE
MALAYSIA DOES**



MALAYSIAN CONSORTIUM OF RUBBER PRODUCTS SDN. BHD.

Level 36-01 (West Wing), Q Sentral, Jalan Stesen Sentral 2, KL Sentral, 50470 Kuala Lumpur, Malaysia.

Tel: +603 2710 2366 | Fax: +603 2710 3266 | Email: sales@malcorp.net